

#### Conforms to OSHA HazCom 2012 Standard

#### Section 1 - Identification

R PLATE Gloss Restorer		
ng compound.		
mmercial and industrial use only.		
Manufacturer / Importer / Supplier / Distributor Information		
eco (Aust) 17 Yale Drive Epping VIC 3076		
108 8699		

#### Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

-	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Serious eye damage/eye irritation	2A
OSHA defined hazards Label Elements	Not Classified.	
Hazard Symbol		
Signal Word	Warning	
Hazard statement	Causes serious eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear pro-	tective gloves/eye protection/face protection
Response	If in eyes: Rinse cautiously with water for s present and easy to do. Continue rinsing. I advice/attention.	several minutes. Remove contact lenses, if If eye irritation persists: Get medical
Storage	Store in a well-ventilated place. Keep contain	ainer tightly closed. Keep cool.
Disposal	Dispose of contents/container in accordant regulations.	ce with local/regional/national/international
Hazard(s) not otherwise classified (HNOC)	None known.	

#### Section 3 - Composition/Information on ingredients

Mixture	
---------	--

Hazardous Components		
Ingredient Name	CAS #	%
Pine Oil	8002-09-3	5 - 10
2-Propanol	67-63-0	1 - 5

## **Section 4 - First-aid Measures**

Inhalation Skin contact	Move to fresh air. Get medical attention if irritation persists. Wash off with soap and water. Get medical attention if irritation persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.
Ingestion	Rinse mouth. Get medical attention if irritation persists.
Most Important symptoms /effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### Section 5 - Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).





### Conforms to OSHA HazCom 2012 Standard

Unsuitable extinguishing media Specific hazards arising from the chemical	Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instruction	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
General fire hazards Specific Methods	No unusual fire or explosion hazards noted. Use standard fire fighting procedures and consider the hazards of other involved materials.

## Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
	Avoid discharge into draine, water courses or ento the ground

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8 - Exposure control/personal protection

Occupational exposure limits				
US. OSHA Table Z-1 Limits for Air Contamina	nts (29 CFR 19	10.1000)		
Components	Туре	Value		
2-Propanol (CAS 67-63-0)	TWA	980 mg/m³, 400ppm		
US. ACGIH Threshold Limit Values				
Component	Туре	Value		
2-Propanol (CAS 67-63-0)	STEL	400 ppm		
2-Propanol (CAS 67-63-0)	TWA	200 ppm		
US. NIOSH: Pocket Guide to Chemical Hazard	ls			
Components	Туре	Value		
2-Propanol (CAS 67-63-0)	IDLH	2000 ppm		
2-Propanol (CAS 67-63-0)	STEL	1225 mg/m³, 500 pp		
2-Propanol (CAS 67-63-0)	TWA	980 mg/m³, 400 ppm		
US. ACGIH. BEIs. Biological Exposure Indice	s			
Component	Value	Determinate	Specimen	Sampling
2-Propanol (CAS 67-63-0)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
2-Propanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
* - For sampling details, please see the sou	rce document.			

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used.





#### Conforms to OSHA HazCom 2012 Standard

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear suitable protective clothing.	
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

#### Section 9 - Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Clear liquid.
Color	Amber.
Odor	Pine.
Odor threshold	Not available.
рН	10.7
Melting point/freezing point	Not available.
Initial boiling point and	212 °F (100 °C)
boiling range	
Flash point	>201°F (94 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive	ve limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.01 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Completely soluble.
Partition Coefficient n-	Not available
octanol/water	
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	< 30 cP
Viscosity Temperature	75 °F (23.89 °C)

#### Section 10 - Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactior	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Pro	No hazardous decomposition products are known.

#### Section 11 - Toxicological information

Information on likely routes of exposure





## Conforms to OSHA HazCom 2012 Standard

	onforms to OSHA HazCom 2012 Standard			
Ingestion	Expected to be a low ingestion hazard.			
Inhalation	No adverse effects due to inhalation are expected.			
Skin contact	No adverse effects due to skin contact are expected.			
Eye contact	Causes serious eye irritation.			
Symptoms related to the physical,	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and			
chemical and toxicological	blurred vision.			
characteristics				
Information on toxicological effects.				
Acute toxicity	Not expected to be acutely toxic.			
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.			
Serious eye damage/ eye irritation	Causes serious eye irritation.			
<b>Respiratory sensitization</b>	This product is not expected to cause respiratory sensitization.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity -	Not classified.			
single exposure				
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not classified.			
Chronic effects	Prolonged inhalation may be harmful.			
Section 12 - Ecological Information	on a state of the			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Persistence and degradability	No data is available on the degradability of this product.			
Partition coefficient n-octa	· · ·			
Components	Results			
2-Propanol (CAS 67-63-0)	0.05			
Mobility in soil	No data available.			
Mobility in general	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
Section 13 - Disposal considerations				
Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.			
Local disposal regulations	Dispose of in accordance with local regulations.			
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.			
Waste from residues / unused products	Dispose in accordance with all applicable regulations.			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.			
Section 14 – Transport				
information	Not required as descent as de			
	Not regulated as dangerous goods.			
DOT	Not regulated as dangerous goods.			
	Not regulated as dangerous goods.			
IMDG	This substance/mixture is not intended to be transported in bulk.			
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code				
Section 15 - Regulatory Information				

#### Section 15 - Regulatory Information

ARMOR PLATE Gloss Restorer





#### Conforms to OSHA HazCom 2012 Standard

US f	ederal regu	ulations	This product is a "Hazardous Chemical" as defined by the OSHA Haza Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	ard
тес	A Section	12(b) Export	Not regulated.	
			Not regulated.	
		CFR707, Subpt. D)		
		cifically Regulated	Not listed.	
Subs	stances (29	9 CFR 1910.1001-		
CER	CLA Hazar	dous Substance		
List	(40 CFR 30	2.4		
	-		prization Act of 1986 (SARA)	
-	azard	Immediate Hazard	Yes	
Ud	ategories	Delayed Hazard	No	
		Fire Hazard	No	
		Pressure Hazard	No	
		Reactivity Hazard	No	
SA	ARA 302 Fx	tremely hazardous	Not listed.	
	ibstance			
		0.11		
		2 Hazardous	Yes	
	emical			
SA	ARA 313 (T	RI reporting)	Not regulated.	
Othe	er federal r	egulations		
	Clean Air A	Act (CAA) Section	Not regulated.	
112 Hazardous Air Pollutants			5	
	Clean Air A	Act (CAA) Section	Not regulated.	
		dental Release	Not rogulatod.	
	• •	(40 CFR 68.130)		
		•	Net we will te d	
		ing Water Act (SDWA)	•	
		Drug Administration	Not regulated.	
	(FDA)			
US state regulations				
	US.Massac	chusetts RTK -	Components	
:	Substance	List	2-Propanol (CAS 67-63-0)	
US.New Jersey Worker and		way Warker and	Components	
			•	
	Communit	y Right-to-Know Act	Pine Oil (CAS 8002-09-3)	
			2-Propanol (CAS 67-63-0)	
	US.Pennsy	/Ivania RTK -	Components	
	Hazardous	Substances	2-Propanol (CAS 67-63-0)	
	US.Rhode	Island RTK		
		rnia Propsition 65	California Safe Drinking Water and Toxic Enforcement Act of 1986	
	ee eame		(Proposition 65): This material is not known to contain any chemicals	
			currently listed as carcinogens or reproductive toxins.	
Inter	national In	wentories		
International Inventories		On Inventor		
	ountry(s) o	r Inventory Name		On Inventory
	gion			(yes/no)*
Au			No	
Canada Domestic Substanc		Domestic Substa	ances List (DSL)	No
Ca	anada	Non-Domestic S	ubstances List (NDSL)	No



No

No

No

No

No

No

No

No



#### Conforms to OSHA HazCom 2012 Standard

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). \*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### Section 16 - Other information, including date of preparation or last version

Issue date		
Version #		
Disclaimer		

3/20/2015

01

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

