

Chemwatch: 4789-88

Version No: 2.1.1.1 Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 2

Issue Date: 27/06/2017 Print Date: 05/03/2018 S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Sugar Soap Liquid
Synonyms	Not Available
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Multi-purpose detergent for removing a varied range of contaminants such as food oils, greases and dirt from all surfaces

Details of the supplier of the safety data sheet

Registered company name	Chemeco (Aust)
Address	17 Yale Drive Epping VIC 3076
Telephone	+61 3 9408 8699
Fax	+61 3 9408 8399
Website	www.chemeco.com.au
Email	info@chemeco.com.au

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable		
Classification [1]	Acute Aquatic Hazard Category 3, Chronic Aquatic Hazard Category 3		
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI		
Label elements			
GHS label elements	Not Applicable		
Hazard statement(s) H412 Harmful to aquatic life with long lasting effects.			
Precautionary statement(s) F	Precautionary statement(s) Prevention		
P273	Avoid release to the environment.		
Precautionary statement(s) Response			
Not Applicable			

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7601-54-9	1-10	trisodium phosphate
68603-42-9	1-10	coconut diethanolamide
61789-40-0	1-10	cocamidopropylbetaine
Not Available	<1	preservative
		ingredients determined to be non-hazardous including
7732-18-5	>60	water

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.			
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 		
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Other decomposition products include:, carbon dioxide (CO2), nitrogen oxides (NOx), phosphorus oxides (POx) 		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Slippery when spilt.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Slippery when spilt.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. 	
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. 	
onditions for safe storage, i	nditions for safe storage, including any incompatibilities	

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name		TEEL-1	TEEL-2	TEEL-3
trisodium phosphate	Sodium phosphate, tribasic; (Trisodium phosphate)		5 mg/m3	250 mg/m3	1500 mg/m3
Ingredient	Original IDLH	Revi	sed IDLH		
trisodium phosphate	Not Available	Not A	Available		
coconut diethanolamide	Not Available	Not Available			
cocamidopropylbetaine	Not Available	Not A	Available		
preservative	Not Available	Not A	Available		
water	Not Available	Not A	Available		

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.			
Personal protection				
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. 			
Skin protection	See Hand protection below			
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. 			

	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Suitability and durability of glove type is dependent on usage.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C. apron. Barrier cream.
Thermal hazards	Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

NV Chemicals Sugar Soap Liquid

Material	CPI
BUTYL	A
NEOPRENE	A
VITON	A
NATURAL RUBBER	С
PVA	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove,

a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	AK-AUS P2	-	AK-PAPR-AUS / Class 1 P2
up to 50 x ES	-	AK-AUS / Class 1 P2	-
up to 100 x ES	-	AK-2 P2	AK-PAPR-2 P2 ^

^ - Full-face

 $\begin{array}{l} \mathsf{A}(\mathsf{All classes}) = \mathsf{Organic vapours}, \mathsf{B} \, \mathsf{AUS or} \, \mathsf{B1} = \mathsf{Acid gasses}, \mathsf{B2} = \mathsf{Acid gas or hydrogen cyanide}(\mathsf{HCN}), \mathsf{B3} = \mathsf{Acid gas or hydrogen cyanide}(\mathsf{HCN}), \mathsf{E} = \mathsf{Sulfur dioxide}(\mathsf{SO2}), \mathsf{G} = \mathsf{Agricultural chemicals}, \mathsf{K} = \mathsf{Ammonia}(\mathsf{NH3}), \mathsf{Hg} = \mathsf{Mercury}, \mathsf{NO} = \mathsf{Oxides of nitrogen}, \mathsf{MB} = \mathsf{Methyl bromide}, \mathsf{AX} = \mathsf{Low boiling point organic compounds}(\mathsf{below 65 degC}) \end{array}$

Appearance	Blue viscous alkaline liquid; mixes with water to form foaming solutions.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8-9	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7

Page 5 of 8

Chemeco Sugar Soap Liquid

Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models) Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	There is some evidence to suggest that this material can c	ause eye irritation and damage in some persons.	
Chronic	There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There is limited evidence that, skin contact with this product is more likely to cause a sensitisation reaction in some persons compared to the general population.		
NV Chemicals Sugar Soap	ΤΟΧΙCITY	IRRITATION	
Liquid	Not Available	Not Available	
	τοχιςιτγ	IRRITATION	
	dermal (rat) LD50: >2000 mg/kg ^[1]	- moderate*	
trisodium phosphate	Oral (rat) LD50: 7.4 gm ^[1]	*[CCINFO - Monsanto]	
		Eye (rabbit):(FSHA) Corrosive*	
		scale of 8.0	
		Skin (rabbit):(FSHA) 3.3 on a	
	тохісіту	IRRITATION	
coconut diethanolamide	Inhalation (rat) LC50: 88 ppm/h * ^[2]	Nil reported.	
	Oral (rat) LD50: 2700 mg/kg ^[2]		
	ΤΟΧΙΟΙΤΥ	IRRITATION	
cocamidopropylbetaine	Oral (rat) LD50: 2700 mg/kg ^[2]	Eye: primary irritant *	
		Skin: primary irritant *	
	тохісіту	IRRITATION	
water	Oral (rat) LD50: >90000 mg/kg ^[2]	Not Available	
Legend:	1 Value obtained from Europe ECHA Registered Substan	ces - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise	

NV Chemicals Sugar Soap Liquid	Not available.
COCONUT DIETHANOLAMIDE	The chemicals in the Fatty Nitrogen Derived (FND) Amides are generally similar in terms of physical and chemical properties, environmental fate and toxicity. Its low acute oral toxicity is well established across all subcategories by the available data and show no apparent organ specific toxicity, mutation, reproductive or developmental defects. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. DEA has low acute toxicity if ingested orally or applied on the skin. It can cause moderate skin irritation and severe eye irritation. It may affect sperm production, cause anaemia and damage the liver and kidney. It has not been shown to cause cancer in humans; though there is evidence that it may cause cancer in mice, and damage to the foetus at levels toxic to the mother. Laboratory testing shows that the fatty acid amide, cocoamide DEA, causes occupational allergic contact dermatitis, and that allergy to this substance is becoming more common. Alkanolamides are manufactured by condensation of diethanolamine and the methyl ester of long chain fatty acids. *Ethoquad C/12 SDS
COCAMIDOPROPYLBETAINE	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. Possible cross-reactions to several fatty acid amidopropyl dimethylamines were observed in patients that were reported to have allergic contact dermatitis to a baby lotion that contained 0.3% oleamidopropyl dimethylamine. Stearamidopropyl dimethylamine at 2% in hair conditioners was not a contact sensitiser when tested neat or diluted to 30%. However, irritation reactions were observed. A 10-year retrospective study found that out of 46 patients with confirmed allergic eyelid dermatitis, 10.9% had relevant reactions to oleamidopropyl dimethylamine.

	Most undiluted cationic surfactants satisfy the criteria for classification as Harmful (2 and R41. The material may cause skin irritation after prolonged or repeated exposu production of vesicles, scaling and thickening of the skin. Amphoteric surfactants are easily absorbed in the gut and partly excreted unchanged in th Concentrated betaines are expected to irritate the skin and eyes, but dilute solution: No evidence of delayed contact hypersensitivity was found in animal testing. * [Van Waters and Rogers] ** [Canada Colors and Chemicals Ltd.] Toxicokinetics, metabolism and gastrointestinal membranes is possible based on the relatively low molecular weight of the chemical Acute oral toxicity studies in rats and mice indicated that the LD50 values of the chemical (at 30-32 mg/kg bw, with mortalities noted in most studies (CIR, 2010). Of note is an acute oral toxicity study mg/kg bw (formulation containing 35.61% of the chemical), where no males but all five females die administration of the chemical and that it may be an acute oral toxicant. Therefore, based on these toxicity study in rats was conducted using 2000 mg/kg bw of a 31% formulation of the chemical (CI systemic toxicity or mortalities. The lack of effects in this study suggests that the chemical is likely 1 quatemary ammonium functional group, which is a structural alert for corrosion Numerous skin irrit chemical, indicated that the chemical has irritant properties. The studies were, in-general, conduct (7.5-10%). Based on the information available, the chemical is likely to be a skin irritant. Sensitisation structural alert for sensitisation (Conflicting results have been obtained with the chemical in anima was not reported). In addition, positive results were obtained in two guinea pig maximisation studie challenge, and the second at 0.15% induction and 0.015% challenge. However, there was no sens at 6% induction and 1% challenge. No evidence of sensitisation was reported in a HRIPT on a form a ~6% formulation) with 110 volunteers. In HRIPT studie	e and may produce on contact skin redness, swelling, the faeces. It has not been shown to accumulate in the body. only irritate the eyes. distribution. Absorption of the chemical across dermal and (500 Da) and given that it is a surfactant (EC, 2003). Acute toxicity. S1% concentration) ranged from 1800 mg/kg bw (male rats) up to 5000 conducted in Sprague-Dawley rats (5/sex) at a single dose of 1800 Overall, the data suggests that mortality occurs following oral lata the chemical may be harmful if swallowed. An acute dermal , 2010). Irritation was observed, but there were no clinical signs of be of low acute dermal toxicity. Irritation. The chemical has a ion studies, conducted with formulations containing 7.5-30% of the d under occlusive conditions, with exposure times of up to 24 hours in studies with the chemical showed that corrosive and necrotic effects de chemical has a quaternary armonium functional group, which is a studies. Positive results were reported in an LLNA study (an EC3 value conducted by a single laboratory, the first at 3% induction and 3% isation in a guinea pig maximisation test when the chemical was tested ilation containing the chemical at 0.6% concentration (a 10% dilution of to evidence of sensitisation was reported at concentrations of 1.87% s), 0.018% (27 subjects). However, positive results were observed in onducted in subjects diagnosed with various forms of contact thors note that sensitisation effects of the chemical (and related
WATER	No significant cauto tovicological data identified in literature operation	
WATER	No significant acute toxicological data identified in literature search.	
WATER TRISODIUM PHOSPHATE & COCONUT DIETHANOLAMIDE	No significant acute toxicological data identified in literature search. Asthma-like symptoms may continue for months or even years after exposure to the condition known as reactive airways dysfunction syndrome (RADS) which can occu compound. Key criteria for the diagnosis of RADS include the absence of preceding onset of persistent asthma-like symptoms within minutes to hours of a documented spirometry, with the presence of moderate to severe bronchial hyperreactivity on mi lymphocytic inflammation, without eosinophilia, have also been included in the crite	following exposure to high levels of highly irritating respiratory disease, in a non-atopic individual, with abrupt xposure to the irritant. A reversible airflow pattern, on hacholine challenge testing and the lack of minimal
TRISODIUM PHOSPHATE & COCONUT	Asthma-like symptoms may continue for months or even years after exposure to the condition known as reactive airways dysfunction syndrome (RADS) which can occur compound. Key criteria for the diagnosis of RADS include the absence of preceding onset of persistent asthma-like symptoms within minutes to hours of a documented spirometry, with the presence of moderate to severe bronchial hyperreactivity on more than the presence of moderate to severe bronchial hyperreactivity on more than the presence of moderate to severe bronchial hyperreactivity on more than the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of moderate to severe bronchial hyperreactivity on the presence of the presenc	following exposure to high levels of highly irritating respiratory disease, in a non-atopic individual, with abrupt xposure to the irritant. A reversible airflow pattern, on hacholine challenge testing and the lack of minimal a for diagnosis of RADS.
TRISODIUM PHOSPHATE & COCONUT DIETHANOLAMIDE COCONUT DIETHANOLAMIDE &	Asthma-like symptoms may continue for months or even years after exposure to the condition known as reactive airways dysfunction syndrome (RADS) which can occu compound. Key criteria for the diagnosis of RADS include the absence of preceding onset of persistent asthma-like symptoms within minutes to hours of a documented spirometry, with the presence of moderate to severe bronchial hyperreactivity on mulymphocytic inflammation, without eosinophilia, have also been included in the criteria	following exposure to high levels of highly irritating respiratory disease, in a non-atopic individual, with abrupt exposure to the irritant. A reversible airflow pattern, on thacholine challenge testing and the lack of minimal a for diagnosis of RADS.
TRISODIUM PHOSPHATE & COCONUT DIETHANOLAMIDE COCONUT DIETHANOLAMIDE & COCAMIDOPROPYLBETAINE	Asthma-like symptoms may continue for months or even years after exposure to the condition known as reactive airways dysfunction syndrome (RADS) which can occur compound. Key criteria for the diagnosis of RADS include the absence of preceding onset of persistent asthma-like symptoms within minutes to hours of a documented spirometry, with the presence of moderate to severe bronchial hyperreactivity on molymphocytic inflammation, without eosinophilia, have also been included in the criter. The material may produce moderate eye irritation leading to inflammation. Repeated or pre-	following exposure to high levels of highly irritating respiratory disease, in a non-atopic individual, with abrupt exposure to the irritant. A reversible airflow pattern, on thacholine challenge testing and the lack of minimal a for diagnosis of RADS.
TRISODIUM PHOSPHATE & COCONUT DIETHANOLAMIDE COCONUT DIETHANOLAMIDE & COCAMIDOPROPYLBETAINE Acute Toxicity	Asthma-like symptoms may continue for months or even years after exposure to the condition known as reactive airways dysfunction syndrome (RADS) which can occur compound. Key criteria for the diagnosis of RADS include the absence of preceding onset of persistent asthma-like symptoms within minutes to hours of a documented spirometry, with the presence of moderate to severe bronchial hyperreactivity on mulymphocytic inflammation, without eosinophilia, have also been included in the crite. The material may produce moderate eye irritation leading to inflammation. Repeated or proceeding to a compose the material may produce moderate eye irritation leading to inflammation.	following exposure to high levels of highly irritating respiratory disease, in a non-atopic individual, with abrupt exposure to the irritant. A reversible airflow pattern, on thacholine challenge testing and the lack of minimal a for diagnosis of RADS.
TRISODIUM PHOSPHATE & COCONUT DIETHANOLAMIDE COCONUT DIETHANOLAMIDE & COCONUT DIETHANOLAMIDE & COCAMIDOPROPYLBETAINE Acute Toxicity Skin Irritation/Corrosion Serious Eye	Asthma-like symptoms may continue for months or even years after exposure to the condition known as reactive airways dysfunction syndrome (RADS) which can occu compound. Key criteria for the diagnosis of RADS include the absence of preceding onset of persistent asthma-like symptoms within minutes to hours of a documented spirometry, with the presence of moderate to severe bronchial hyperreactivity on mulymphocytic inflammation, without eosinophilia, have also been included in the criter. The material may produce moderate eye irritation leading to inflammation. Repeated or provide the moderate eye irritation leading to inflammation. Repeated or provide the moderate eye irritation leading to inflammation. Repeated or provide the moderate eye irritation leading to inflammation. Repeated or provide the experimentary is a spiral to the experimentary experimentary is a spiral to the experimentary experime	following exposure to high levels of highly irritating respiratory disease, in a non-atopic individual, with abrupt exposure to the irritant. A reversible airflow pattern, on thacholine challenge testing and the lack of minimal a for diagnosis of RADS.

Legend:

Data available but does not fill the criteria for classification
 Data required to make classification available

S – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

oxicity					
Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
trisodium phosphate	LC50	96	Fish	28.5mg/L	4
trisodium phosphate	EC50	48	Crustacea	>100mg/L	2
trisodium phosphate	EC50	48	Algae or other aquatic plants	300mg/L	2
trisodium phosphate	EC50	72	Algae or other aquatic plants	>100mg/L	2
trisodium phosphate	NOEC	72	Algae or other aquatic plants	>100mg/L	2
coconut diethanolamide	EC50	48	Crustacea	2.25mg/L	1
coconut diethanolamide	NOEC	504	Crustacea	=0.07mg/L	1
coconut diethanolamide	EC0	96	Algae or other aquatic plants	1mg/L	1
coconut diethanolamide	EC50	96	Algae or other aquatic plants	2.2mg/L	1
coconut diethanolamide	LC50	96	Fish	2.52mg/L	1
cocamidopropylbetaine	EC50	48	Crustacea	6.5mg/L	1
cocamidopropylbetaine	NOEC	504	Crustacea	=0.9mg/L	1
cocamidopropylbetaine	EC0	96	Algae or other aquatic plants	=0.09mg/L	1
cocamidopropylbetaine	EC50	96	Algae or other aquatic plants	=0.55mg/L	1
cocamidopropylbetaine	LC50	96	Fish	=1mg/L	1
water	EC50	384	Crustacea	199.179mg/L	3

water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	LC50	96	Fish	897.520mg/L	3
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. **DO NOT** discharge into sewer or waterways.

DO NOT discharge into sewer of waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
trisodium phosphate	HIGH	HIGH
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
trisodium phosphate	LOW (LogKOW = -0.7699)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
trisodium phosphate	HIGH (KOC = 1)
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some
	areas, certain wastes must be tracked.
	A Hierarchy of Controls seems to be common - the user should investigate:
	▶ Reduction
	▶ Reuse
	▶ Recycling
	▹ Disposal (if all else fails)
	This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.
Product / Packaging	 DO NOT allow wash water from cleaning or process equipment to enter drains.
disposal	It may be necessary to collect all wash water for treatment before disposal.
	In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
	 Where in doubt contact the responsible authority.
	Recycle wherever possible.
	 Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
	 Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material).
	Decontaminate empty containers.

SECTION 14 TRANSPORT INFORMATION

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

TRISODIUM PHOSPHATE(7601-54-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

COCONUT DIETHANOLAMIDE(68603-42-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

COCAMIDOPROPYLBETAINE(61789-40-0) IS FOUND ON THE FOLLOWING REGULATORY

LISTS Australia Inventory of Chemical Substances (AICS)

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (coconut diethanolamide; trisodium phosphate; water; cocamidopropylbetaine)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water; cocamidopropylbetaine)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
trisodium phosphate	7601-54-9, 96337-98-3
coconut diethanolamide	68603-42-9, 61791-31-9, 71786-60-2
cocamidopropylbetaine	61789-40-0, 83138-08-3, 86438-79-1, 97862-59-4

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification

committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index