

# Chemeco Ammo - Ammoniated Floor Cleaner

Chemwatch Hazard Alert Code: 2

Issue Date: **27/06/2022**Print Date: **05/05/2023**S.GHS.AUS.EN

Chemwatch: 23-6405 Version No: 2.1.1.1

Safety Data Sheet according to WHS and ADG requirements

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### **Product Identifier**

Product name	Ammo - Ammoniated Floor Cleaner
Synonyms	Not Available
Other means of identification	Not Available

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General purpose ammoniated detergent for cleaning walls, floors, ceilings.

# Details of the supplier of the safety data sheet

Registered company name	Chemeco (Aust)
Address	17 Yale Drive Epping VIC 3076
Telephone	+61 3 9408 8699
Fax	+61 3 9408 8399
Website	https://www.chemeco.com.au/
Email	info@chemeco.com.au

### Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

# **SECTION 2 HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

# NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification	Not Applicable
Label elements	
GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

# Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Version No: 2.1.1.1

### Chemeco Ammo - Ammoniated Floor Cleaner

Issue Date: **27/06/2022** Print Date: **05/05/2023** 

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### Substances

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name		
Not Available	10-30	surfactants		
Not Available	<10	quaternary ammonium compound		
1336-21-6	<1	ammonia		
Not Available	<1	perfume		
Not Available	<1	dye		
7732-18-5	>60	water		

# **SECTION 4 FIRST AID MEASURES**

### Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:  Wash out immediately with fresh running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Seek medical attention without delay; if pain persists or recurs seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

# Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Advice for firefighters	
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered to be a significant fire risk.</li> <li>Expansion or decomposition on heating may lead to violent rupture of containers.</li> <li>Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).</li> </ul>

Decomposes on heating and produces toxic fumes of:, carbon dioxide (CO2), phosphorus oxides (POx), nitrogen oxides (NOx)

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

Minor Spills

Slippery when spilt.

▶ Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Version No: 2.1.1.1

### Chemeco Ammo - Ammoniated Floor Cleaner

Issue Date: 27/06/2022 Print Date: 05/05/2023

- Control personal contact with the substance, by using protective equipment. F Contain and absorb spill with sand, earth, inert material or vermiculite.
  - **Major Spills**

#### Slippery when spilt. Minor hazard.

- · Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact with the substance, by using protective equipment as required.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 HANDLING AND STORAGE**

#### Precautions for safe handling

- Limit all unnecessary personal contact.
   Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area
- Avoid contact with incompatible materials.

Other information

- Store in original containers. Keep containers securely sealed
- Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers
- Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **Control parameters**

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

### **INGREDIENT DATA**

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ammonia	Ammonia	17 mg/m3 / 25 ppm	24 mg/m3 / 35 ppm	Not Available	Not Available

# **EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
ammonia	Ammonium hydroxide	61 ppm	330 ppm	2300 ppm
ammonia	Ammonia	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
surfactants	Not Available	Not Available
quaternary ammonium compound	Not Available	Not Available
ammonia	500 ppm	300 ppm
perfume	Not Available	Not Available
dye	Not Available	Not Available
water	Not Available	Not Available

### **Exposure controls**

### **Appropriate** engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

### Personal protection







# Eye and face protection

- Safety glasses with side shields; or as required,
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

## Skin protection

# See Hand protection below

Hands/feet protection

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

# **Body protection**

See Other protection below

Version No: 2.1.1.1

### Chemeco Ammo - Ammoniated Floor Cleaner

Issue Date: **27/06/2022** Print Date: **05/05/2023** 

Other protection

- Overalls.
- Evewash unit.

Thermal hazards

Not Available

### Recommended material(s)

### GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index"

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

NV Chemicals Ammoniated Floor Cleaner

Material	СРІ
BUTYL	Α
NEOPRENE	Α
NATURAL RUBBER	С

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

### Respiratory protection

Type AK Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 5 x ES	AK-AUS / Class 1	-	AK-PAPR-AUS / Class 1
up to 25 x ES	Air-line*	AK-2	AK-PAPR-2
up to 50 x ES	-	AK-3	-
50+ x ES	-	Air-line**	-

#### ^ - Full-face

 $A(All\ classes) = Organic\ vapours,\ B\ AUS\ or\ B1 = Acid\ gasses,\ B2 = Acid\ gas\ or\ hydrogen\ cyanide(HCN),\ E = Sulfur\ dioxide(SO2),\ G = Agricultural\ chemicals,\ K = Ammonia(NH3),\ Hg = Mercury,\ NO = Oxides\ of\ nitrogen,\ MB = Methyl\ bromide,\ AX = Low\ boiling\ point\ organic\ compounds(below\ 65\ degC)$ 

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

nformation on basic physical and chemical properties			
Appearance Pink liquid with ammoniacal odour; mixes with water.			
Physical state	Liquid	Relative density (Water = 1)	1.00-1.01
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8-8.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	2.3 @ 20 C	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Chemwatch: 23-6405 Page 5 of 7

Version No: 2.1.1.1

# **Chemeco Ammo - Ammoniated Floor Cleaner**

Issue Date: 27/06/2022 Print Date: 05/05/2023

Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Ingestion may result in nausea, abdominal irritation, pain and vomiting			
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	There is some evidence to suggest that this material can cause eye irritation and damage in some persons.			
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.			
V Chemicals Ammoniated	тохісіту	IRRITATION		
Floor Cleaner	Not Available	Not Available		
	TOXICITY	IRRITATION		
ammonia	Inhalation (rat) LC50: 2000 ppm/4hr <sup>[2]</sup>	Eye (rabbit): 0	.25 mg SEVERE	
	Oral (rat) LD50: 350 mg/kg <sup>[2]</sup>		mg/30s SEVERE	
	TOXICITY	IRRITATION		
water	Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>	Not Available		
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances			
	specified data extracted from RTECS - Register of Toxic Effect o	t chemical Substances		
AMMONIA	The material may produce severe irritation to the eye causing promay produce conjunctivitis.  Asthma-like symptoms may continue for months or even years af condition known as reactive airways dysfunction syndrome (RAD compound. Key criteria for the diagnosis of RADS include the absonset of persistent asthma-like symptoms within minutes to hours spirometry, with the presence of moderate to severe bronchial hy lymphocytic inflammation, without eosinophilia, have also been in	ter exposure to the mate S) which can occur follow sence of preceding respi of a documented expos perreactivity on methach	rial ceases. This may be due to a non-allergenic ving exposure to high levels of highly irritating ratory disease, in a non-atopic individual, with abrupt ure to the irritant. A reversible airflow pattern, on oline challenge testing and the lack of minimal	
AMMONIA  AMMONIA & WATER	The material may produce severe irritation to the eye causing promay produce conjunctivitis.  Asthma-like symptoms may continue for months or even years af condition known as reactive airways dysfunction syndrome (RAD compound. Key criteria for the diagnosis of RADS include the absonset of persistent asthma-like symptoms within minutes to hours spirometry, with the presence of moderate to severe bronchial hy	ter exposure to the mate S) which can occur follor sence of preceding respi of a documented expos perreactivity on methach cluded in the criteria for	rial ceases. This may be due to a non-allergenic ving exposure to high levels of highly irritating ratory disease, in a non-atopic individual, with abrupt ure to the irritant. A reversible airflow pattern, on oline challenge testing and the lack of minimal	
	The material may produce severe irritation to the eye causing promay produce conjunctivitis.  Asthma-like symptoms may continue for months or even years af condition known as reactive airways dysfunction syndrome (RAD compound. Key criteria for the diagnosis of RADS include the absonset of persistent asthma-like symptoms within minutes to hours spirometry, with the presence of moderate to severe bronchial hy lymphocytic inflammation, without eosinophilia, have also been in	ter exposure to the mate S) which can occur follor sence of preceding respi of a documented expos perreactivity on methach cluded in the criteria for	rial ceases. This may be due to a non-allergenic ving exposure to high levels of highly irritating ratory disease, in a non-atopic individual, with abrupt ure to the irritant. A reversible airflow pattern, on oline challenge testing and the lack of minimal	
AMMONIA & WATER	The material may produce severe irritation to the eye causing promay produce conjunctivitis.  Asthma-like symptoms may continue for months or even years af condition known as reactive airways dysfunction syndrome (RAD compound. Key criteria for the diagnosis of RADS include the absonset of persistent asthma-like symptoms within minutes to hours spirometry, with the presence of moderate to severe bronchial hy lymphocytic inflammation, without eosinophilia, have also been in	ter exposure to the mate S) which can occur follow sence of preceding respites of a documented exposite perreactivity on methack cluded in the criteria for	rial ceases. This may be due to a non-allergenic ving exposure to high levels of highly irritating ratory disease, in a non-atopic individual, with abrupt ure to the irritant. A reversible airflow pattern, on oline challenge testing and the lack of minimal diagnosis of RADS.	
AMMONIA & WATER  Acute Toxicity	The material may produce severe irritation to the eye causing promay produce conjunctivitis.  Asthma-like symptoms may continue for months or even years af condition known as reactive airways dysfunction syndrome (RAD compound. Key criteria for the diagnosis of RADS include the absonset of persistent asthma-like symptoms within minutes to hours spirometry, with the presence of moderate to severe bronchial hy lymphocytic inflammation, without eosinophilia, have also been in No significant acute toxicological data identified in literature search	ter exposure to the mate S) which can occur followence of preceding respite of a documented exposperreactivity on methach cluded in the criteria for the.  Carcinogenicity	rial ceases. This may be due to a non-allergenic ving exposure to high levels of highly irritating ratory disease, in a non-atopic individual, with abrupt ure to the irritant. A reversible airflow pattern, on oline challenge testing and the lack of minimal diagnosis of RADS.	
AMMONIA & WATER  Acute Toxicity  Skin Irritation/Corrosion  Serious Eye	The material may produce severe irritation to the eye causing promay produce conjunctivitis.  Asthma-like symptoms may continue for months or even years af condition known as reactive airways dysfunction syndrome (RAD compound. Key criteria for the diagnosis of RADS include the absonset of persistent asthma-like symptoms within minutes to hours spirometry, with the presence of moderate to severe bronchial hy lymphocytic inflammation, without eosinophilia, have also been in No significant acute toxicological data identified in literature search	ter exposure to the mate S) which can occur follow sence of preceding respite of a documented exposite perreactivity on methack cluded in the criteria for the Carcinogenicity Reproductivity	rial ceases. This may be due to a non-allergenic ving exposure to high levels of highly irritating ratory disease, in a non-atopic individual, with abrupt ure to the irritant. A reversible airflow pattern, on oline challenge testing and the lack of minimal diagnosis of RADS.	

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available

○ – Data Not Available to make classification

# **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
ammonia	LC50	96	Fish	15mg/L	4
ammonia	NOEC	72	Fish	3.5mg/L	4
water	EC50	384	Crustacea	199.179mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	LC50	96	Fish	897.520mg/L	3
	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN				

Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data Legend:

# DO NOT discharge into sewer or waterways.

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ammonia	LOW	LOW
water	LOW	LOW

### Bioaccumulative potential

Ingredient	Bioaccumulation
ammonia	LOW (LogKOW = 0.229)

Page 6 of 7

### Chemeco Ammo - Ammoniated Floor Cleaner

Issue Date: **27/06/2022**Print Date: **05/05/2023** 

water LOW (LogKOW = -1.38)

### Mobility in soil

Version No: 2.1.1.1

Ingredient	Mobility
ammonia	LOW (KOC = 14.3)
water	LOW (KOC = 14.3)

# **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

### **SECTION 14 TRANSPORT INFORMATION**

# Labels Required

Marine Pollutant NO
HAZCHEM Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

# AMMONIA(1336-21-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

## WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	N (ammonia; water)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Y
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

# **SECTION 16 OTHER INFORMATION**

# Other information

# Ingredients with multiple cas numbers

• • • • • • • • • • • • • • • • • • • •	
Name	CAS No
ammonia	1336-21-6, 14798-03-9

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

Chemwatch: 23-6405 Page 7 of 7 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/05/2023

# **Chemeco Ammo - Ammoniated Floor Cleaner**

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

# **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index