

Chemeco Disinfectant

Chemwatch Hazard Alert Code: 2

Issue Date: **27/06/2022** Print Date: **05/03/2023** S.GHS.AUS.EN

Chemwatch: **24-9183** Version No: **2.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Disinfectant
Synonyms	Lemon, Blossom, Tropical Disinfectant
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Disinfectant, deodoriser and cleaner.

Details of the supplier of the safety data sheet

Registered company name	Chemeco (Aust)
Address	17 Yale Drive Epping VIC 3076
Telephone	+61 3 9408 8699
Fax	+61 3 9408 8399
Website	www.chemeco.com.au
Email	info@chemeco.com.au

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification	Not Applicable
Label elements	
GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Chemwatch: 24-9183 Page 2 of 7 Issue Date: 27/06/2022

Chemeco Disinfectant

Version No: 2.1.1.1 Print Date: 05/03/2023

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	<10	quaternary ammonium compound
9016-45-9	<10	nonylphenol, ethoxylated
Not avail.	<10	methylated spirits
Not Available	<10	fragrance, dye
7732-18-5	>60	water

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: * Wash out immediately with fresh running water. * Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. * Seek medical attention without delay; if pain persists or recurs seek medical attention. * Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

For exposures to quaternary ammonium compounds;

- For ingestion of concentrated solutions (10% or higher): Swallow promptly a large quantity of milk, egg whites / gelatin solution. If not readily available, a slurry of activated charcoal may be useful. Avoid alcohol. Because of probable mucosal damage omit gastric lavage and emetic drugs.
- For dilute solutions (2% or less): If little or no emesis appears spontaneously, administer syrup of Ipecac or perform gastric lavage.
- If hypotension becomes severe, institute measures against circulatory shock.
- If respiration laboured, administer oxygen and support breathing mechanically. Oropharyngeal airway may be inserted in absence of gag reflex. Epiglottic or laryngeal edema may necessitate a tracheotomy.
- Persistent convulsions may be controlled by cautious intravenous injection of diazepam or short-acting barbiturate drugs. [Gosselin et al, Clinical Toxicology of Commercial Products]

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Fire Incompatibility None known			
Advice for firefighters				
 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 				
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). Other decomposition products include:, carbon dioxide (CO2), chlorides, nitrogen oxides (NOx) 			

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Chemwatch: 24-9183 Page 3 of 7 Version No: 2.1.1.1

Chemeco Disinfectant

Issue Date: 27/06/2022 Print Date: 05/03/2023

Methods and material for containment and cleaning up

Minor Spills

Slippery when spilt.

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.

Slippery when spilt. Minor hazard.

Major Spills

- Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.
- $\label{lem:control} \mbox{Control personal contact with the substance, by using protective equipment as required.}$

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- Limit all unnecessary personal contact.
 Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- When handling DO NOT eat, drink or smoke.

Other information

- Store in original containers. Keep containers securely sealed.

- Store in a cool, dry, well-ventilated area.
 Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container

Plastic container

Check that containers are clearly labelled

Packaging as recommended by manufacturer.

Storage incompatibility None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenyl) ether; (Nonoxynol-9)	9.9 mg/m3	110 mg/m3	300 mg/m3
nonylphenol, ethoxylated	Ethoxylated nonylphenol; (Nonyl phenyl polyethylene glycol ether)	0.37 mg/m3	4.1 mg/m3	260 mg/m3

Ingredient	Original IDLH	Revised IDLH
quaternary ammonium compound	Not Available	Not Available
nonylphenol, ethoxylated	Not Available	Not Available
methylated spirits	Not Available	Not Available
fragrance, dye	Not Available	Not Available
water	Not Available	Not Available

Exposure controls

Appropriate engineering controls

None under normal operating conditions.

Personal protection







No special equipment for minor exposure i.e. when handling small quantities.

Eye and face protection

OTHERWISE: Safety glasses with side shields.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

Skin protection

Hands/feet protection

No special equipment needed when handling small quantities. OTHERWISE: Wear general protective gloves, e.g. light weight rubber gloves.

Body protection

See Other protection below

Chemwatch: **24-9183** Page **4** of **7** Issue Date: **27/06/2022**

Version No: 2.1.1.1 Chemeco Disinfectant Print Date: 05/03/2023

Other protection

No special equipment needed when handling small quantities.

OTHERWISE:

- Overalls.
- Barrier cream.
- Eyewash unit.

Thermal hazards

Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the \overline{l} ollowing substance(s) are taken into account in the $\emph{computer-generated}$ selection:

NV Chemicals Disinfectant

Material	СРІ
BUTYL	Α
NEOPRENE	А
VITON	А
NATURAL RUBBER	С
PVA	С

^{*} CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS P2	-	A-PAPR-AUS / Class 1 P2
up to 50 x ES	-	A-AUS / Class 1 P2	-
up to 100 x ES	-	A-2 P2	A-PAPR-2 P2 ^

^ - Full-face

 $A(All\ classes) = Organic\ vapours,\ B\ AUS\ or\ B1 = Acid\ gasses,\ B2 = Acid\ gas\ or\ hydrogen\ cyanide(HCN),\ E = Sulfur\ dioxide(SO2),\ G = Agricultural\ chemicals,\ K = Ammonia(NH3),\ Hg = Mercury,\ NO = Oxides\ of\ nitrogen,\ MB = Methyl\ bromide,\ AX = Low\ boiling\ point\ organic\ compounds(below\ 65\ degC)$

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Coloured fragrant liquid; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.03
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	7.1-7.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

^{*} Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Chemwatch: 24-9183 Page **5** of **7** Version No: 2.1.1.1

Chemeco Disinfectant

Issue Date: 27/06/2022 Print Date: 05/03/2023

Information on toxicological effects

Inhaled				
	Not normally a hazard due to non-volatile nature of pro	oduct		
	The concentrate is discomforting			
	to the gastro-intestinal tract			
Ingestion	and _			
	may be harmful			
		ritation, pain and vomiting Considered	d an unlikely route of entry in commercial/industrial environ	
Skin Contact	There is some evidence to suggest that this material c	an cause inflammation of the skin o	on contact in some persons.	
Eye	There is some evidence to suggest that this material of	an cause eye irritation and damage	in some persons.	
Chronic	There is limited evidence that, skin contact with this pr to the general population.	oduct is more likely to cause a sens	sitisation reaction in some persons compared	
	TOXICITY	IRRITATION		
NV Chemicals Disinfectant	Not Available	Not Available		
		, TOUT TRAINED		
	TOXICITY	IRRITATION		
nonylphenol, ethoxylated	Dermal (rabbit) LD50: 2080 mg/kg ^[2]	Eye (rabbit): 5	mg SEVERE	
nonyiphonoi, emoxylated	Oral (rat) LD50: 1310 mg/kg ^[2]	Skin (human):	15 mg/3D mild	
		Skin (rabbit): 5	500 mg mild	
	TOXICITY	IRRITATION		
	Not Available	Eye (rabbit): 5	00 mg SEVERE	
methylated spirits		Eye (rabbit):10	00mg/24hr-moderate	
		Skin (rabbit):2	20 mg/24hr-moderate	
		01: (1:1:0) 4	00 mg (apan) mild	
		Skin (rabbit):4	oo mg (open)-mid	
	тохісіту	Skin (raddit):4	oo iiig (open)-iiiiu	
water	TOXICITY Oral (rat) LD50: >90000 mg/kg ^[2]	1	oo iiig (open)-iiiiu	
water Legend:	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Sub-	IRRITATION Not Available stances - Acute toxicity 2.* Value of		
	Oral (rat) LD50: >90000 mg/kg ^[2]	IRRITATION Not Available stances - Acute toxicity 2.* Value of		
	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Sub-	IRRITATION Not Available stances - Acute toxicity 2.* Value of xic Effect of chemical Substances	otained from manufacturer's SDS. Unless otherwise	
	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem	IRRITATION Not Available stances - Acute toxicity 2.* Value of xic Effect of chemical Substances ylates through a variety of industria icals can occur through ingestion, ir	otained from manufacturer's SDS. Unless otherwise I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of	
	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox	IRRITATION Not Available stances - Acute toxicity 2.* Value of kic Effect of chemical Substances ylates through a variety of industria icals can occur through ingestion, ir ble intake level would have to occu	otained from manufacturer's SDS. Unless otherwise I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of	
Legend:	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the	IRRITATION Not Available stances - Acute toxicity 2.* Value of the control of t	I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal	
Legend: NONYLPHENOL,	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be	IRRITATION Not Available stances - Acute toxicity 2.* Value of the v	and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or	
Legend: NONYLPHENOL,	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of the several production of the several product	IRRITATION Not Available stances - Acute toxicity 2.* Value of the process of t	and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or	
Legend: NONYLPHENOL, ETHOXYLATED	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of may produce conjunctivitis. No significant acute toxicological data identified in liter	IRRITATION Not Available stances - Acute toxicity 2.* Value of kic Effect of chemical Substances ylates through a variety of industria icals can occur through ingestion, in ble intake level would have to occuren reported. re is no evidence for alcohol ethoxy ects were observed. causing pronounced inflammation. Fature search.	I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or Repeated or prolonged exposure to irritants	
Legend: NONYLPHENOL, ETHOXYLATED WATER	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of may produce conjunctivitis.	IRRITATION Not Available stances - Acute toxicity 2.* Value of kic Effect of chemical Substances ylates through a variety of industria icals can occur through ingestion, ir ble intake level would have to occuren reported. re is no evidence for alcohol ethoxy ects were observed. causing pronounced inflammation. Fauture search.	I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or Repeated or prolonged exposure to irritants	
Legend: NONYLPHENOL, ETHOXYLATED WATER NONYLPHENOL, ETHOXYLATED &	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of may produce conjunctivitis. No significant acute toxicological data identified in liter. The material may cause skin irritation after prolonged.	IRRITATION Not Available stances - Acute toxicity 2.* Value of kic Effect of chemical Substances ylates through a variety of industria icals can occur through ingestion, ir ble intake level would have to occuren reported. re is no evidence for alcohol ethoxy ects were observed. causing pronounced inflammation. Fauture search.	I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or Repeated or prolonged exposure to irritants	
Legend: NONYLPHENOL, ETHOXYLATED WATER NONYLPHENOL, ETHOXYLATED & METHYLATED SPIRITS	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of may produce conjunctivitis. No significant acute toxicological data identified in liter. The material may cause skin irritation after prolonged production of vesicles, scaling and thickening of the skin.	IRRITATION Not Available stances - Acute toxicity 2.* Value of the process of t	I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or Repeated or prolonged exposure to irritants	
NONYLPHENOL, ETHOXYLATED WATER NONYLPHENOL, ETHOXYLATED & METHYLATED SPIRITS Acute Toxicity	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of may produce conjunctivitis. No significant acute toxicological data identified in liter. The material may cause skin irritation after prolonged production of vesicles, scaling and thickening of the skin.	IRRITATION Not Available stances - Acute toxicity 2.* Value of kic Effect of chemical Substances ylates through a variety of industria icals can occur through ingestion, ir ble intake level would have to occuren reported. re is no evidence for alcohol ethoxy ects were observed. causing pronounced inflammation. Fature search. or repeated exposure and may produin. Carcinogenicity	and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or Repeated or prolonged exposure to irritants	
Legend: NONYLPHENOL, ETHOXYLATED WATER NONYLPHENOL, ETHOXYLATED & METHYLATED SPIRITS Acute Toxicity Skin Irritation/Corrosion Serious Eye	Oral (rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of To. Human beings have regular contact with alcohol ethox and other cleaning products . Exposure to these chem acute toxicity show that volumes well above a reasona case of poisoning with alcohol ethoxylates has ever be Both laboratory and animal testing has shown that the cancer. No adverse reproductive or developmental eff The material may produce severe irritation to the eye of may produce conjunctivitis. No significant acute toxicological data identified in liter. The material may cause skin irritation after prolonged production of vesicles, scaling and thickening of the skin specific production of the skin specific pr	IRRITATION Not Available stances - Acute toxicity 2.* Value of kic Effect of chemical Substances ylates through a variety of industrial icals can occur through ingestion, in ble intake level would have to occuren reported. re is no evidence for alcohol ethoxy ects were observed. causing pronounced inflammation. Fature search. or repeated exposure and may produin. Carcinogenicity Reproductivity	I and consumer products such as soaps, detergents, shalation, or contact with the skin or eyes. Studies of r to produce any toxic response. Moreover, no fatal lates (AEs) causing genetic damage, mutations or Repeated or prolonged exposure to irritants	

Legend:

Data available but does not fill the criteria for classification
 Data required to make classification available

Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
nonylphenol, ethoxylated	EC50	120	Crustacea	0.15mg/L	4
nonylphenol, ethoxylated	EC50	48	Crustacea	12.2mg/L	4
nonylphenol, ethoxylated	EC50	96	Algae or other aquatic plants	12.0mg/L	4
nonylphenol, ethoxylated	LC50	96	Fish	1.3mg/L	4
nonylphenol, ethoxylated	NOEC	2400	Fish	0.035mg/L	4

Chemwatch: 24-9183 Page 6 of 7 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/03/2023

Chemeco Disinfectant

water	EC50	384	Crustacea	199.179mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	LC50	96	Fish	897.520mg/L	3
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
nonylphenol, ethoxylated	LOW	LOW
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
nonylphenol, ethoxylated	LOW (BCF = 16)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
nonylphenol, ethoxylated	LOW (KOC = 940)
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

NONYLPHENOL, ETHOXYLATED(9016-45-9) IS FOUND ON THE FOLLOWING REGULATORY

LISTS Australia Inventory of Chemical Substances (AICS)

METHYLATED SPIRITS(NOT AVAIL.) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	N (methylated spirits)
Canada - DSL	N (methylated spirits)
Canada - NDSL	N (methylated spirits; water)
China - IECSC	N (methylated spirits)
Europe - EINEC / ELINCS / NLP	N (methylated spirits)
Japan - ENCS	N (methylated spirits; water)

Chemwatch: 24-9183 Page 7 of 7 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/03/2023

Chemeco Disinfectant

Korea - KECI	N (methylated spirits)
New Zealand - NZIoC	N (methylated spirits)
Philippines - PICCS	N (methylated spirits)
USA - TSCA	N (methylated spirits)
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
nonylphenol, ethoxylated	9016-45-9, 26027-38-3, 26571-11-9, 14409-72-4

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index