

Chemeco Grill Cleaner

Chemwatch Hazard Alert Code: 4

Issue Date: **27/06/2022** Print Date: **05/03/2023** S.GHS.AUS.EN

Chemwatch: **23-5753** Version No: **2.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Grill Cleaner
Synonyms	Not Available
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Used to remove grease and grime from hard surfaces.

Details of the supplier of the safety data sheet

Registered company name	Chemeco (Aust)
Address	17 Yale Drive Epping VIC 3076
Telephone	+61 3 9408 8699
Fax	+61 3 9408 8399
Website	www.chemeco.com.au
Email	info@chemeco.com.au

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	S6		
Classification [1]	Metal Corrosion Category 1, Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1		
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI		

Label elements

GHS label elements





SIGNAL WORD	DANGE
SIGNAL WORD	DANG

Hazard statement(s)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Chemwatch: 23-5753 Page 2 of 9 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/03/2023

Chemeco Grill Cleaner

P260	Oo not breathe dust/fume/gas/mist/vapours/spray.			
P280	ear protective gloves/protective clothing/eye protection/face protection.			
P234	Keep only in original container.			
P270	Do not eat, drink or smoke when using this product.			

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
P303+P361+P353	F ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a POISON CENTER or doctor/physician.			

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1310-58-3	10-30	potassium hydroxide
7758-29-4	<10	sodium tripolyphosphate
Not Available	<10	glycol non-hazardous
10213-79-3	<10	sodium metasilicate, pentahydrate
Not Available	<10	nonionic surfactant
7732-18-5	>60	water

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

For acute or short-term repeated exposures to highly alkaline materials:

- Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- ▶ The presence of shock suggests perforation and mandates an intravenous line and fluid administration.

Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.

Alkalis continue to cause damage after exposure.

INGESTION:

Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

Chemwatch: 23-5753 Page 3 of 9 Issue Date: 27/06/2022 Version No: 2.1.1.1

Chemeco Grill Cleaner

Print Date: 05/03/2023

- ▶ Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated
- * Activated charcoal does not absorb alkali.
- * Gastric lavage should not be used.

Supportive care involves the following:

- Withhold oral feedings initially.
- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- ▶ Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder
- BCF (where regulations permit).

Special hazards arising from the substrate or mixture

Fire Incompatibility Reacts with aluminium / zinc producing flammable, explosive hydrogen gas

Advice for firefighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.
- Use fire fighting procedures suitable for surrounding area.

- Non combustible.
- Not considered to be a significant fire risk.
- Fire/Explosion Hazard
- Expansion or decomposition on heating may lead to violent rupture of containers
- Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).

Decomposes on heating and produces toxic fumes of:, carbon dioxide (CO2), phosphorus oxides (POx)May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.

Major Spills

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material.
- DO NOT allow clothing wet with material to stay in contact with skin

Other information

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Storage incompatibility
- Check all containers are clearly labelled and free from leaks Avoid strong acids, acid chlorides, acid anhydrides and chloroformates

Issue Date: 27/06/2022 Print Date: 05/03/2023

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	potassium hydroxide	Potassium hydroxide	Not Available	Not Available	2 mg/m3	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium hydroxide	Potassium hydroxide	0.18 mg/m3	2 mg/m3	54 mg/m3
sodium tripolyphosphate	Sodium tripolyphosphate	0.22 mg/m3	2.5 mg/m3	620 mg/m3
sodium metasilicate, pentahydrate	Sodium metasilicate pentahydrate	45 mg/m3	45 mg/m3	170 mg/m3
sodium metasilicate, pentahydrate	Sodium silicate; (Sodium metasilicate)	18 mg/m3	230 mg/m3	230 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium hydroxide	Not Available	Not Available
sodium tripolyphosphate	Not Available	Not Available
glycol non-hazardous	Not Available	Not Available
sodium metasilicate, pentahydrate	Not Available	Not Available
nonionic surfactant	Not Available	Not Available
water	Not Available	Not Available

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection











Eye and face protection

- Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
- Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
- Alternatively a gas mask may replace splash goggles and face shields.

Skin protection

See Hand protection below

Hands/feet protection

Elbow length PVC gloves

See Other protection below

When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

Body protection

Overalls.

Other protection

- PVC Apron
- PVC protective suit may be required if exposure severe.
- Eyewash unit.

Thermal hazards

ds Not Available

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

NV Chemicals Oven And Grill Cleaner (Pee Off)

Material	СРІ
BUTYL	A
NEOPRENE	A
NATURAL RUBBER	С

* CPI - Chemwatch Performance

Index A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

Respiratory protection

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	-AUS P2	-	-PAPR-AUS / Class 1 P2
up to 50 x ES	-	-AUS / Class 1 P2	-
up to 100 x ES	-	-2 P2	-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen

Chemwatch: 23-5753 Page 5 of 9 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/03/2023 **Chemeco Grill Cleaner**

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

 * Where the glove is to be used on a short term, casual or infrequent basis, factors such as

"feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Blue highly alkaline liquid of moderate viscosity; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.19-1.23
Odour	Not Available	Partition coefficient n-octanol / water	Not Available

Physical state	Liquid	Relative density (Water = 1)	1.19-1.23
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	13.5-14.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Oral (rat) LD50: 273 mg/kg^[2]

Information on toxicological effects

potassium hydroxide

Information on toxicological	effects		
Inhaled	Not normally a hazard due to non-volatile nature of product Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane.		
Ingestion	Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow.		
Skin Contact	The material can produce severe chemical burns following direct contact with the skin. Skin contact with alkaline corrosives may produce severe pain and burns; brownish stains may develop. The corroded area may be soft, gelatinous and necrotic; tissue destruction may be deep.		
Еуе	Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness.		
Chronic	Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue.		
NV Chemicals Oven And	TOXICITY	IRRITATION	
Grill Cleaner (Pee Off)	Not Available	Not Available	
	TOXICITY	IRRITATION	

Eye (rabbit):1mg/24h rinse-moderate Skin (human): 50 mg/24h SEVERE

Chemwatch: 23-5753 Version No: 2.1.1.1

Page 6 of 9 Chemeco Grill Cleaner

Issue Date: **27/06/2022** Print Date: **05/03/2023**

		Skin (rabbit): 5	50 mg/24h SEVERE
	TOXICITY	IRRITATION	
sodium tripolyphosphate	Dermal (rabbit) LD50: >3160 mg/kg ^[2]	Nil reported	
	Oral (rat) LD50: >2000 mg/kg ^[1]	1	
	TOXICITY	IRRITATION	
sodium metasilicate, pentahydrate	Oral (rat) LD50: 847 mg/kg ^[2]	Skin (human):	250 mg/24h SEVERE
		Skin (rabbit): 2	250 mg/24h SEVERE
water	TOXICITY	IRRITATION	
water	Oral (rat) LD50: >90000 mg/kg ^[2]	Not Available	
Legend:	Nalue obtained from Europe ECHA Registered Substant specified data extracted from RTECS - Register of Toxic E		btained from manufacturer's SDS. Unless otherwise
	N=		
POTASSIUM HYDROXIDE	The material may produce moderate eye irritation leading to inf The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F The material may be irritating to the eye, with prolonged contact cause	led or repeated exposure and m Repeated exposures may produ sing inflammation. Repeated or prolor	nay produce on contact skin redness, swelling, the ice severe ulceration. nged exposure to irritants may produce conjunctivitis.
POTASSIUM HYDROXIDE SODIUM METASILICATE, PENTAHYDRATE	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. F	ed or repeated exposure and m Repeated exposures may produ sing inflammation. Repeated or prolor esult in damage to the lung incl	nay produce on contact skin redness, swelling, the uce severe ulceration. nged exposure to irritants may produce conjunctivitis. uding reduced lung function.
SODIUM METASILICATE,	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. For the material may be irritating to the eye, with prolonged contact caus. The material may produce respiratory tract irritation, and rough the material may cause skin irritation after prolonged or repeat scaling and thickening of the skin.	ed or repeated exposure and m Repeated exposures may produ sing inflammation. Repeated or prolor esult in damage to the lung incl ted exposure and may produce on	nay produce on contact skin redness, swelling, the ice severe ulceration. Inged exposure to irritants may produce conjunctivitis. Unding reduced lung function.
SODIUM METASILICATE, PENTAHYDRATE	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. For the material may be irritating to the eye, with prolonged contact cause. The material may produce respiratory tract irritation, and rough the material may cause skin irritation after prolonged or repeat scaling and thickening of the skin. sodium metasilicate anhydrous:	ned or repeated exposure and manager of the control	nay produce on contact skin redness, swelling, the lice severe ulceration. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants, swelling, the production of vesicles on contact skin redness, swelling, the production of vesicles or interest skin redness, s
SODIUM METASILICATE, PENTAHYDRATE WATER POTASSIUM HYDROXIDE & SODIUM TRIPOLYPHOSPHATE & SODIUM METASILICATE,	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. Fig. The material may be irritating to the eye, with prolonged contact cause. The material may produce respiratory tract irritation, and row the material may cause skin irritation after prolonged or repeat scaling and thickening of the skin. sodium metasilicate anhydrous: No significant acute toxicological data identified in literature. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrome compound. Key criteria for the diagnosis of RADS include onset of persistent asthma-like symptoms within minutes to spirometry, with the presence of moderate to severe brond.	ned or repeated exposure and manager of the control	nay produce on contact skin redness, swelling, the lice severe ulceration. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants, swelling, the production of vesicles on contact skin redness, swelling, the production of vesicles or interest skin redness, s
SODIUM METASILICATE, PENTAHYDRATE WATER POTASSIUM HYDROXIDE & SODIUM TRIPOLYPHOSPHATE & SODIUM METASILICATE, PENTAHYDRATE	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. Find material may be irritating to the eye, with prolonged contact cause. The material may produce respiratory tract irritation, and reference the material may cause skin irritation after prolonged or repeat scaling and thickening of the skin. sodium metasilicate anhydrous: No significant acute toxicological data identified in literature. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrome compound. Key criteria for the diagnosis of RADS include onset of persistent asthma-like symptoms within minutes the spirometry, with the presence of moderate to severe brond lymphocytic inflammation, without eosinophilia, have also	ned or repeated exposure and manager of the product	nay produce on contact skin redness, swelling, the lice severe ulceration. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to find function. Inged exposure to high levels of highly irritating irritanty disease, in a non-atopic individual, with abrupt sure to the irritant. A reversible airflow pattern, on noline challenge testing and the lack of minimal diagnosis of RADS.
SODIUM METASILICATE, PENTAHYDRATE WATER POTASSIUM HYDROXIDE & SODIUM TRIPOLYPHOSPHATE & SODIUM METASILICATE, PENTAHYDRATE Acute Toxicity	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. Find material may be irritating to the eye, with prolonged contact cause. The material may produce respiratory tract irritation, and row the material may cause skin irritation after prolonged or repeat scaling and thickening of the skin. sodium metasilicate anhydrous: No significant acute toxicological data identified in literature. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrome compound. Key criteria for the diagnosis of RADS include onset of persistent asthma-like symptoms within minutes the spirometry, with the presence of moderate to severe brond lymphocytic inflammation, without eosinophilia, have also	red or repeated exposure and management of the control of the cont	nay produce on contact skin redness, swelling, the lice severe ulceration. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to function. In contact skin redness, swelling, the production of vesicles erial ceases. This may be due to a non-allergenic wing exposure to high levels of highly irritating irratory disease, in a non-atopic individual, with abrupt sure to the irritant. A reversible airflow pattern, on noline challenge testing and the lack of minimal diagnosis of RADS.
SODIUM METASILICATE, PENTAHYDRATE WATER POTASSIUM HYDROXIDE & SODIUM TRIPOLYPHOSPHATE & SODIUM METASILICATE, PENTAHYDRATE Acute Toxicity Skin Irritation/Corrosion Serious Eye	The material may cause severe skin irritation after prolong production of vesicles, scaling and thickening of the skin. Find material may be irritating to the eye, with prolonged contact cause. The material may produce respiratory tract irritation, and reference may be repeated the material may cause skin irritation after prolonged or repeated scaling and thickening of the skin. Sodium metasilicate anhydrous: No significant acute toxicological data identified in literature. Asthma-like symptoms may continue for months or even y condition known as reactive airways dysfunction syndrome compound. Key criteria for the diagnosis of RADS included onset of persistent asthma-like symptoms within minutes the spirometry, with the presence of moderate to severe brond lymphocytic inflammation, without eosinophilia, have also	red or repeated exposure and management of the productivity of the criteria for Carcinogenicity Reproductivity Reproductivity Reproductivity	nay produce on contact skin redness, swelling, the lice severe ulceration. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to irritants may produce conjunctivitis. Inged exposure to find function. Inged exposure to high levels of highly irritating irritanty disease, in a non-atopic individual, with abrupt sure to the irritant. A reversible airflow pattern, on noline challenge testing and the lack of minimal diagnosis of RADS.

Data required to make classification available

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
potassium hydroxide	LC50	96	Fish	80mg/L	2
potassium hydroxide	NOEC	24	Fish	28mg/L	2
sodium tripolyphosphate	EC50	48	Crustacea	>70.7- <101.3mg/L	2
sodium tripolyphosphate	EC50	96	Algae or other aquatic plants	69.2mg/L	2
sodium metasilicate, pentahydrate	EC50	96	Crustacea	160mg/L	1
sodium metasilicate, pentahydrate	LC50	96	Fish	180mg/L	1
sodium metasilicate, pentahydrate	EC50	48	Crustacea	1700mg/L	2
sodium metasilicate, pentahydrate	EC50	72	Algae or other aquatic plants	207mg/L	2
water	EC50	384	Crustacea	199.179mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	LC50	96	Fish	897.520mg/L	3
	T =	#1011D T 1 1 1 D 1 D 5	FOUR Building to the transport		

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN

Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment

Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Chemwatch: 23-5753 Page 7 of 9 Version No: 2.1.1.1

Chemeco Grill Cleaner

Issue Date: 27/06/2022 Print Date: 05/03/2023

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Treat and neutralise at an approved treatment plant.
- Treatment should involve: Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material).

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant	NO
HAZCHEM	2P

Land transport (ADG)

Land transport (ADG)	
UN number	1814
UN proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Transport hazard class(es)	Class 8 Subrisk Not Applicable
Packing group	Ш
Environmental hazard	Not Applicable
Special precautions for user	Special provisions Not Applicable Limited quantity 1 L

Air transport (ICAO-IATA / DGR)

UN number	1814	
UN proper shipping name	Potassium hydroxide solution	
Transport hazard class(es)	ICAO/IATA Class 8 ICAO / IATA Subrisk Not Applicable ERG Code 8L	
Packing group	П	
Environmental hazard	Not Applicable	
Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack Passenger and Cargo Limited Quantity Packing Instructions Passenger and Cargo Limited Maximum Qty / Pack	A3A803 855 30 L 851 1 L Y840 0.5 L

Chemwatch: 23-5753 Page 8 of 9 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/03/2023

Chemeco Grill Cleaner

UN number	1814
UN proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable
Packing group	П
Environmental hazard	Not Applicable
Special precautions for user	EMS Number F-A, S-B Special provisions Not Applicable Limited Quantities 1 L

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM HYDROXIDE(1310-58-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

SODIUM TRIPOLYPHOSPHATE(7758-29-4) IS FOUND ON THE FOLLOWING REGULATORY

LISTS Australia Inventory of Chemical Substances (AICS)

SODIUM METASILICATE, PENTAHYDRATE(10213-79-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists

Australia Inventory of Chemical Substances (AICS)

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (sodium tripolyphosphate; sodium metasilicate, pentahydrate; water; potassium hydroxide)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
sodium tripolyphosphate	7758-29-4, 15091-98-2, 13573-18-7

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

Chemwatch: 23-5753 Page 9 of 9 Issue Date: 27/06/2022 Version No: 2.1.1.1 Print Date: 05/03/2023

Chemeco Grill Cleaner

OSF: Odour Safety Factor
NOAEL:No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index